

Dimensions des Filetages (Norme ISO 228-1 :2000)

Dimensions des filetages (ISO 228-1:2000)

Désignation de la dimension du filetage	Pas en mm	Nombre de filets par pouce	Ancienne dénomination (acier filetable fort)	Diamètre extérieur en mm	Diamètre intérieur en mm	Diamètre nominal standard « DN »
1/16	0,907	28		7,723	6,561	
1/8	0,907	28	5-10	9,728	8,566	6
1/4	1,337	19	8-13	13,157	11,445	8
3/8	1,337	19	12-17	16,662	14,950	10
1/2	1,814	14	15-21	20,955	18,631	15
5/8	1,814	14	16-23 (17-23)	22,911	20,587	
3/4	1,814	14	21-27 (20-27)	26,441	24,117	20
7/8	1,814	14	24-31	30,201	27,877	
1	2,309	11	26-34	33,249	30,291	25
1 1/8	2,309	11		37,897	34,939	
1 1/4	2,309	11	33-42	41,910	38,952	32
1 1/2	2,309	11	40-49	47,803	44,842	40
1 3/4	2,309	11	45-55	53,746	50,788	
2	2,309	11	50-60	59,614	56,656	50
2 1/4	2,309	11	60-66 (60-70)	65,710	62,752	
2 1/2	2,309	11	66-76	75,184	72,226	65
2 3/4	2,309	11	72-82	81,534	78,576	
3	2,309	11	80-90	87,884	84,926	80
3 1/2	2,309	11	90-102	100,330	97,372	
4	2,309	11	102-114	113,030	110,072	100
4 1/2	2,309	11	115-127	125,730	122,772	
5	2,309	11	127-140	138,430	135,472	125
5 1/2	2,309	11	140-152	151,130	148,172	
6	2,309	11	152-165	163,830	160,872	150